

NEOREST®

600

550

500

TOTO®

PRESENTING NEOREST®

At TOTO, we believe a product must exude exceptional quality and distinction beyond expectation for it to be defined as truly luxurious. Ingeniously designed and impeccably engineered, NEOREST is the epitome of luxury.

As the global leader in intelligent bathroom fixtures, TOTO is dedicated to bringing an unparalleled experience and high performance to your bath space.

NEOREST's ultra sleek designs and revolutionary hygiene systems strike a distinctive balance between style and substance, defining the next generation of luxury bath environments.

LUXURY DEFINED.



HIGH PERFORMANCE

Always an industry leader in innovation, TOTO has created a revolutionary, multi-sequential flushing engine called CYCLONE™, a flushing system that uses gravity and water for ultimate cleaning.

A water-saving 1.2 gallons per flush mode (light flush) is engaged when flushing liquid waste, guaranteeing optimum efficiency and water conservation.



INNOVATIVE DESIGN

The unique rimless design ensures a clean bowl rinse after each use. No rim holes mean the interior of the bowl is smooth and ideal for easy cleaning.

TOTO's SanaGloss™ glaze not only keeps the NEOREST looking lustrous but also helps to maintain a hygienic environment by repelling the build-up of bacteria and germs.



ADVANCED TECHNOLOGY

Sophisticated sensor technology makes NEOREST a highly intuitive product.

Upon approach, the lid automatically opens, and with a touch of a button, the seat automatically rises.

Walking away from the NEOREST automatically engages the flush mode as well as the closing of the seat and lid.

NEOREST® FUNCTIONS

Neorest is a modern personal hygiene system that uses aerated water to clean gently, naturally and thoroughly. But the features only begin there.



With the touch of a button, a nozzle extends from under the seat for soothing warm-water cleansing. Water temperature can be set between 86° and 104°F.




The nozzle, which self-cleans before every use, can be set to move back-and-forth for maximum comfort and optimum cleansing.



Enjoy the ease and comfort of hands-free drying with the temperature-adjustable warm-air dryer.



The specially designed contoured seat is heated to provide maximum comfort. An integrated sensor maintains the desired setting between 86° and 104°F.



The self-cleaning function cleanses and sanitizes the entire antibacterial nozzle before and after each use.



The automatic opening and closing of the lid is activated by sensors, while a simple touch of a button lifts and closes the seat.



NEOREST® 600

The ultimate expression of modern design and superior performance, Neorest 600 brings technology from the dark ages to the twenty-first century.



PERFORMANCE

- Automatic open and close lid
- Washlet® cleansing with 3 spray modes
- Hands-free automatic flush
- 1.6 and automated 1.2 GPF settings



COMFORT

- Warm-air dryer
- Built-in air purifying system
- Oscillating and pulsating comfort washing
- Ultimate in modern design and usability



CONTROL

- Slim and sleek remote control
- Adjustable heated seat temperature
- Adjustable spray with precision positioning
- Energy-saver timer
- Manual override function



NEOREST® 550

The Neorest 550 is a remarkable combination of ecology, luxury and sleek minimalism. It offers many unique features for unrivaled convenience and comfort.



PERFORMANCE

- Automatic open and close lid
- Washlet® cleansing with 3 spray modes
- Hands-free automatic flush
- User-controlled dual flush:
Choose 1.6 or 1.06 GPF

COMFORT

- Compact size
- Warm-air dryer
- Built-in air purifying system
- Oscillating and pulsating comfort washing
- Optional sound experience module

CONTROL

- Easy-to-read remote control with LCD panel
- Adjustable heated seat temperature
- Adjustable spray with precision positioning
- Energy-saver timer
- Manual override function



NEOREST® 500

Striking form and intuitive technology come together in the Neorest 500, which is defined by its easy-to-use, user-friendly design and functionality.



PERFORMANCE

- Automatic open and close lid
- Washlet® cleansing with 3 spray modes
- Hands-free automatic flush
- 1.6 and automated 1.2 GPF settings

COMFORT

- Compact size
- Warm-air dryer
- Built-in air purifying system
- Oscillating and pulsating comfort washing

CONTROL

- Easy-to-read remote control with LCD panel
- Adjustable heated seat temperature
- Adjustable spray with precision positioning
- Energy-saver timer
- Manual override function

COMPARISON CHART

NAME		NEOREST 600	NEOREST 550	NEOREST 500
PRODUCT NUMBER		MS990CGR	MS980CMG	MS950CG
COLOR		Cotton (#01), Colonial White (#11), Sedona Beige (#12)		
CLEANSE	REAR CLEANSE	•	•	•
	FRONT CLEANSE	•	•	•
	SOFT REAR CLEANSE	•	•	•
	OSCILLATING CLEANSE	•	•	•
	PULSATING CLEANSE	•	•	•
	INSTANTANEOUS WATER HEATING	•	•	•
	WATER PRESSURE CONTROL	7 Settings	7 Settings	7 Settings
WATER TEMPERATURE CONTROL	5 Settings	5 Settings	5 Settings	
NOZZLE POSITION ADJUSTMENT	•	•	•	
AIR	AIR PURIFIER (DEODORIZER)	•	•	•
	AIR DRYER	•	•	•
	AIR TEMPERATURE CONTROL	5 Settings	5 Settings	5 Settings
SEAT	HEATED SEAT	•	•	•
	HEATED SEAT TEMPERATURE CONTROL	5 Settings	5 Settings	5 Settings
	SOFT CLOSE SEAT AND LID	•	•	•
SENSOR	SEAT SENSOR	•	•	•
	AUTOMATIC OPEN AND CLOSE LID	•	•	•
	AUTOMATIC FLUSH	•	•	•
REMOTE CONTROL	REMOTE CONTROL	•	•	•
	REMOTE CONTROLLED SEAT AND LID	•	•	•
	REMOTE CONTROLLED FLUSH	•	•	•
	NIGHT LIGHT	•	•	•
HYGIENE	ANTIBACTERIAL COATING	•	•	•
	REMOVABLE SEAT AND LID	•	•	•
	NOZZLE CLEANING BUTTON	•	•	•
	SELF-CLEANING NOZZLE	•	•	•
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 Hours	3, 6, 9 Hours	3, 6, 9 Hours
	AUTO ENERGY SAVER ON / OFF BUTTON	•	•	•

POWER RATING		120V AC, 60Hz	120V AC, 60Hz	120V AC, 60Hz
LENGTH OF POWER CORD		Maximum length 3 ft.	Maximum length 3 ft.	Maximum length 3 ft.
TOILET	FLUSH VOLUME	1.6 Gallon (6L) with 1.2 Gallon (4.5L) Light Flush	1.6 Gallon (6L) with 1.06 Gallon (4L) Light Flush	1.6 Gallon (6L) with 1.2 Gallon (4.5L) Light Flush
	FLUSH TYPE	Cyclone Siphon Jet	Cyclone Siphon Jet	Cyclone Siphon Jet
WASHLET *	NOZZLE FLOW RATE	REAR	9 ~ 14.5 oz. / min.	9 ~ 14.5 oz. / min.
		SOFT	9 ~ 14.5 oz. / min.	9 ~ 14.5 oz. / min.
		FRONT	9.5 ~ 14.5 oz. / min.	9.5 ~ 14.5 oz. / min.
DRYER	WATER TEMPERATURE	86°F ~ 104°F	86°F ~ 104°F	86°F ~ 104°F
	AIR TEMPERATURE	104°F ~ 138°F	104°F ~ 138°F	104°F ~ 138°F
	CAPACITY OF AIR	10.5 ft ³ / min.	10.6 ft ³ / min.	8.4 ft ³ / min.
HEATED SEAT	SURFACE TEMPERATURE	Minimum: 79° F Maximum: 97° F	Minimum: 82° F Maximum: 97° F	Minimum: 79° F Maximum: 97° F
	HEATER POWER CONSUMPTION	50W	50W	50W
AIR PURIFIER	METHOD	Catalytic purification	Catalytic purification	Catalytic purification
	AIR VOLUME	5.5 ft ³ / min.	5.5 ft ³ / min.	5.5 ft ³ / min.
WATER SUPPLY PRESSURE		Minimum: 20 psi Maximum: 80 psi	Minimum: 20 psi Maximum: 108 psi	Minimum: 20 psi Maximum: 80 psi
WATER SUPPLY TEMPERATURE		33°F / 1°C to 104°F / 63°C	33°F / 1°C to 104°F / 63°C	33°F / 1°C to 104°F / 63°C
AMBIENT TEMPERATURE		33°F / 1°C to 104°F / 63°C	33°F / 1°C to 104°F / 63°C	33°F / 1°C to 104°F / 63°C
SIZE		W 17" x D 32.2" x H 22.2"	W 15.3" x D 25.2" x H 21.3"	W 17" x D 26.3" x H 20"
TOTAL PRODUCT WEIGHT		Net: 108 lbs.	Net: 82.7 lbs.	Net: 81.5 lbs.



Neorest 600



Neorest 550



Neorest 500

NEOREST® SUITE



Please visit www.totoneorest.com.

TOTO®

TOTO U.S.A., INC.

1155 SOUTHERN ROAD
MORROW, GA 30260
800-350-8686 (ext. 600)

www.totoneorest.com

© 2008 TOTO U.S.A, Printed in USA 10/08 #K*****